




引用標準:

GB11361

GB11357


GB11362

GB6931.3

符合 ISO 5294-1989

同步帶皮帶輪基本結構型號

TYPE OF BASIC STRUCTURE OF SYNCHRONOUS PULLEY



P = 節距是在皮帶輪或傳動帶中心節綫上測得相鄰兩個齒的距離

Pitch is the distance between the axes of two adjacent teeth irrespective of whether these teeth are on the pulley or the belt provided that measurement is taken on the circumference of pitch line

Z = 皮帶輪的齒數 Number of pulley teeth

Dp = 皮帶輪的節圓直徑, 可以從以下公式推導出

$$D_p = \frac{P \cdot Z}{\pi}$$

The diameter of the pulley pitch is obtained from fomula

De = 皮帶輪實際外圓直徑 External diameter of pulley $De = D_p - H_f$

Dm = 皮帶輪輪轂直徑 Hubs diameter

d = 皮帶輪內孔直徑 Bore diameter

F = 皮帶輪齒部寬度 Tooth width


L = 皮帶輪總寬度 (包括輪轂長度) Total length incl hubs

同步帶齒形尺寸及皮帶輪齒形原始齒廓
TEETH DIMENTION OF SYNCHRONOUS BELT AND
ORIGINAL TEETH OUTLINE OF PULLEY

同步帶及帶輪規格 SPECIFICATION OF BELT AND PULLEY	同步帶齒形尺寸 TEETH DEMENTION OF BELT	皮帶輪齒形原始齒廓 ORIGINAL TEETH OUTLINE OF PULLEY
XL		
L		
H		
XH		
XXH		


用于生產同步帶輪的材料
MATERIALS USED FOR MAKING PULLEYS
鋁及鋁合金
Aluminium UNI3571TA16
suitable for anodic treatment
鋼 C45 和鑄鐵 G22
Steel UNI C45
Cast iron G22 UNI 5007


同 步 帶 選 型 圖
DESIGN HORSEPOWER (HORSEPOWER SERVICE FACTOR)




同步帶輪規格型號表示方法
SPECIFICATION AND TYPE FOR TIMING BELT PULLEY

例 如：
EXAMPLE:







1 材料:C45



2 材料:C45




3 材料:C45




XL 037 PITCH 1/5"(5.08mm)


規 格	型 號	齒 數	外 徑	節 徑	護板直徑	輪轂直徑	齒 寬	總 寬	內 孔
SPCFCTN	TYPE	Z	De	Dp	Df	Dm	F	L	d
10XL037F	1	10	15.66	16.17	23	9.5	14.3	20	6
11XL037F	1	11	17.28	17.79	23	9.5	14.3	20	6
12XL037F	1	12	18.90	19.40	25	10.0	14.3	20	6
13XL037F	1	13	20.51	21.02	25	10.0	14.3	20	6
14XL037F	1	14	22.13	22.64	28	15.0	14.3	20	6
15XL037F	1	15	23.75	24.26	28	15.0	14.3	20	6
16XL037F	1	16	25.36	25.87	32	16.0	14.3	20	6
17XL037F	1	17	26.98	27.49	32	20.0	14.3	20	6
18XL037F	1	18	28.60	29.11	35	20.0	14.3	20	6
19XL037F	1	19	30.22	30.72	35	20.0	14.3	22	6
20XL037F	1	20	31.83	32.34	38	23.5	14.3	22	6
21XL037F	1	21	33.45	33.96	38	23.5	14.3	22	6
22XL037F	1	22	35.07	35.57	41	25.0	14.3	22	6
23XL037F	1	23	36.68	37.19	41	25.0	14.3	22	8
24XL037F	1	24	38.30	38.81	44	30.0	14.3	22	8
25XL037F	1	25	39.92	40.43	44	30.0	14.3	22	8
26XL037F	1	26	41.53	42.04	48	30.0	14.3	22	8
27XL037F	1	27	43.15	43.66	48	30.0	14.3	22	8
28XL037F	1	28	44.77	45.28	51	34.0	14.3	22	8
29XL037F	1	29	46.39	46.90	51	34.0	14.3	22	8
30XL037F	1	30	48.00	48.51	54	38.0	14.3	22	8
32XL037F	1	32	51.24	51.74	57	38.0	14.3	25	8
34XL037F	1	34	54.47	54.98	61	38.0	14.3	25	8
35XL037F	1	35	56.09	56.60	61	38.0	14.3	25	8
36XL037	2	36	57.70	58.21	-	45.0	14.3	25	8
38XL037	2	38	60.94	61.45	-	45.0	14.3	25	8
39XL037	2	39	62.56	63.06	-	45.0	14.3	25	8
40XL037	2	40	64.17	64.68	-	45.0	14.3	25	8
42XL037	2	42	67.41	67.91	-	45.0	14.3	25	8
44XL037	2	44	70.64	71.15	-	45.0	14.3	25	8
45XL037	2	45	72.26	72.77	-	45.0	14.3	25	10
48XL037	3	48	77.11	77.62	-	45.0	14.3	25	10
52XL037	3	52	83.58	84.08	-	45.0	14.3	25	10
56XL037	3	56	90.04	90.55	-	45.0	14.3	25	10
57XL037	3	57	91.66	92.17	-	45.0	14.3	25	10
60XL037	3	60	96.51	97.02	-	45.0	14.3	25	10
68XL037	3	68	109.45	109.96	-	45.0	14.3	25	10
70XL037	3	70	112.68	113.19	-	45.0	14.3	25	10
72XL037	3	72	115.92	116.42	-	45.0	14.3	25	10



1 材料:C45




4 材料:G22




L 050 PITCH 3/8"(9.525mm)


規 格	型 號	齒 數	外 徑	節 徑	護板直徑	輪轂直徑	齒 寬	總 寬	內 孔
SPCFCTN	TYPE	Z	De	Dp	Df	Dm	F	L	d
10L050F	1	10	29.56	30.33	37.0	20	19	28	8
11L050F	1	11	32.59	33.35	37.0	22	19	30	8
12L050F	1	12	35.62	36.37	43.0	24	19	30	8
13L050F	1	13	38.65	39.41	43.0	28	19	30	8
14L050F	1	14	41.68	42.44	48.0	28	19	30	10
15L050F	1	15	44.72	45.48	51.0	34	19	30	10
16L050F	1	16	47.75	48.51	54.0	36	19	32	10
17L050F	1	17	50.78	51.54	57.0	36	19	32	10
18L050F	1	18	53.81	54.59	60.0	40	19	32	10
19L050F	1	19	56.84	57.61	64.0	40	19	32	10
20L050F	1	20	59.88	60.63	66.5	40	19	32	10
21L050F	1	21	62.91	63.68	70.0	45	19	32	10
22L050F	1	22	65.94	66.70	75.0	45	19	32	10
23L050F	1	23	68.97	69.73	79.0	55	19	32	10
24L050F	1	24	72.00	72.77	79.0	55	19	32	10
25L050F	1	25	75.04	75.80	82.5	58	19	32	10
26L050F	1	26	78.07	78.84	86.0	58	19	32	12
27L050F	1	27	81.10	81.86	87.0	58	19	32	12
28L050F	1	28	84.13	84.89	91.0	58	19	32	12
30L050F	1	30	90.20	90.96	97.0	70	19	32	12
32L050F	1	32	96.26	97.03	102.0	70	19	32	12
33L050F	1	33	99.29	100.05	106.0	70	19	32	12
34L050F	1	34	102.32	103.08	112.0	70	19	32	12
35L050F	1	35	105.35	106.12	112.0	70	19	32	12
36L050F	1	36	108.39	109.14	115.0	70	19	32	12
40L050F	1	40	120.51	121.29	128.0	70	19	32	12
42L050F	1	42	126.57	127.34	135.0	70	19	32	12
44L050F	1	44	132.64	133.40	142.0	70	19	32	12
45L050F	1	45	135.67	136.44	142.0	70	19	32	12
48L050F	1	48	144.77	145.54	150.0	70	19	32	12
50L050	4	50	150.83	151.60	-	70	19	32	14
56L050	4	56	169.02	169.79	-	70	19	32	14
57L050	4	57	172.06	172.82	-	70	19	32	14
60L050	4	60	181.15	181.92	-	75	19	42	14
68L050	4	68	205.41	206.18	-	75	19	42	14
70L050	4	70	211.47	212.24	-	75	19	42	14
72L050	4	72	217.53	218.29	-	75	19	42	14
84L050	4	84	253.92	254.69	-	75	19	42	14
96L050	4	96	290.30	291.06	-	75	19	42	14



1 材料:C45




4 材料:G22




L 075 PITCH 3/8" (9.525mm)


規 格	型 號	齒 數	外 徑	節 距	護板直徑	輪轂直徑	齒 寬	總 寬	內 孔
SPCFCTN	TYPE	Z	De	Dp	Df	Dm	F	L	d
10L075F	1	10	29.56	30.33	37.0	20	25.4	38	8
11L075F	1	11	32.59	33.35	37.0	22	25.4	38	8
12L075F	1	12	35.62	36.37	43.0	24	25.4	38	8
13L075F	1	13	38.65	39.41	43.0	28	25.4	38	8
14L075F	1	14	41.68	42.44	48.0	28	25.4	38	12
15L075F	1	15	44.72	45.48	51.0	34	25.4	38	12
16L075F	1	16	44.75	48.51	54.0	36	25.4	38	12
17L075F	1	17	50.78	51.54	57.0	36	25.4	38	12
18L075F	1	18	53.81	54.59	60.0	40	25.4	38	12
19L075F	1	19	56.84	57.61	64.0	40	25.4	38	12
20L075F	1	20	59.88	60.63	66.5	40	25.4	38	12
21L075F	1	21	62.91	63.68	70.0	45	25.4	38	12
22L075F	1	22	65.94	66.70	75.0	45	25.4	38	12
23L075F	1	23	68.97	69.73	79.0	55	25.4	38	12
24L075F	1	24	72.00	72.77	79.0	55	25.4	38	12
25L075F	1	25	75.04	75.80	82.5	58	25.4	38	12
26L075F	1	26	78.07	78.84	86.0	58	25.4	38	12
27L075F	1	27	81.10	81.86	87.0	58	25.4	38	12
28L075F	1	28	84.13	84.89	91.0	58	25.4	38	12
30L075F	1	30	90.20	90.96	97.0	70	25.4	38	12
32L075F	1	32	96.26	97.03	102.0	70	25.4	38	12
33L075F	1	33	99.29	100.05	106.0	70	25.4	38	12
34L075F	1	34	102.32	103.08	112.0	70	25.4	38	12
35L075F	1	35	105.35	106.12	112.0	70	25.4	38	12
36L075F	1	36	108.39	109.14	115.0	70	25.4	38	12
38L075F	1	38	114.46	115.22	120.0	70	25.4	38	12
40L075F	1	40	120.51	121.29	128.0	70	25.4	38	12
42L075F	1	42	126.57	127.34	135.0	70	25.4	38	12
44L075F	1	44	132.64	133.40	142.0	70	25.4	38	12
45L075F	1	45	135.67	136.44	142.0	70	25.4	38	12
48L075F	1	48	144.77	145.54	150.0	70	25.4	38	12
50L075	4	50	150.83	151.60	-	70	25.4	38	14
52L075	4	52	156.90	157.66	-	70	25.4	38	14
56L075	4	56	169.02	169.79	-	70	25.4	38	14
57L075	4	57	172.06	172.82	-	70	25.4	38	14
60L075	4	60	181.15	181.92	-	75	25.4	38	14
70L075	4	70	211.47	212.23	-	75	25.4	45	14
72L075	4	72	217.53	218.29	-	75	25.4	45	14
84L075	4	84	253.92	254.69	-	75	25.4	45	14
96L075	4	96	290.30	291.06	-	75	25.4	45	14



1 材料:C45




4 材料:G22




L 100 PITCH 3/8"(9.525mm)

規 格	型 號	齒 數	外 徑	節 徑	護板直徑	輪轂直徑	齒 寬	總 寬	內 孔
SPCFCTN	TYPE	Z	De	Dp	Df	Dm	F	L	d
10L100F	1	10	29.56	30.33	37.0	20	31.8	45	8
11L100F	1	11	32.59	33.35	37.0	22	31.8	45	8
12L100F	1	12	35.62	36.37	43.0	24	31.8	45	8
13L100F	1	13	38.65	39.41	43.0	28	31.8	45	8
14L100F	1	14	41.68	42.44	48.0	28	31.8	45	12
15L100F	1	15	44.72	45.48	51.0	34	31.8	45	12
16L100F	1	16	47.75	48.51	54.0	36	31.8	45	12
17L100F	1	17	50.78	51.54	57.0	36	31.8	45	12
18L100F	1	18	53.81	54.59	60.0	40	31.8	45	12
19L100F	1	19	56.84	57.61	64.0	40	31.8	45	12
20L100F	1	20	59.88	60.63	66.5	40	31.8	45	12
21L100F	1	21	62.91	63.68	70.0	45	31.8	45	14
22L100F	1	22	65.94	66.70	75.0	45	31.8	45	14
23L100F	1	23	68.97	69.73	79.0	55	31.8	45	14
24L100F	1	24	72.00	72.77	79.0	55	31.8	45	14
25L100F	1	25	75.04	75.80	82.5	58	31.8	45	14
26L100F	1	26	78.07	78.84	86.0	58	31.8	45	14
27L100F	1	27	81.10	81.86	87.0	58	31.8	45	14
28L100F	1	28	84.13	84.89	91.0	58	31.8	45	14
30L100F	1	30	90.20	90.96	97.0	70	31.8	45	14
32L100F	1	32	96.26	97.03	102.0	70	31.8	45	14
33L100F	1	33	99.29	100.05	106.0	70	31.8	45	14
34L100F	1	34	102.32	103.08	112.0	70	31.8	45	14
35L100F	1	35	105.35	106.12	112.0	70	31.8	45	14
36L100F	1	36	108.39	109.14	115.0	70	31.8	45	14
40L100F	1	40	120.51	121.29	128.0	70	31.8	45	14
42L100F	1	42	126.57	127.34	135.0	70	31.8	45	14
44L100F	1	44	132.64	133.40	142.0	70	31.8	45	14
45L100F	1	45	135.67	136.44	142.0	70	31.8	45	14
48L100F	1	48	144.77	145.54	150.0	70	31.8	45	14
50L100	4	50	150.83	151.60		70	31.8	45	14
52L100	4	52	156.90	157.66		70	31.8	45	14
56L100	4	56	169.02	169.79		70	31.8	45	14
57L100	4	57	172.06	172.82		70	31.8	45	14
60L100	4	60	181.15	181.92		75	31.8	45	14
68L100	4	68	205.41	206.17		75	31.8	45	14
72L100	4	72	217.53	218.29		75	31.8	45	14
84L100	4	84	253.92	254.69		75	31.8	45	14
96L100	4	96	290.30	291.06		75	31.8	45	14




4 材料:G22




H


[illegible]




1 材料:C45



4 材料:G22




5 材料:G22




H 100 PITCH 1/2"(12.07mm)


規 格	型 號	齒 數	外 徑	節 徑	護板直徑	輪轂直徑	齒 寬	總 寬	內 孔
SPCFCTN	TYPE	Z	De	Dp	Df	Dm	F	L	d
14H100F	1	14	55.22	56.69	64.0	40	31.8	45	12
15H100F	1	15	59.27	60.64	70.0	45	31.8	45	12
16H100F	1	16	63.31	64.67	70.0	45	31.8	45	12
17H100F	1	17	67.35	68.72	75.0	45	31.8	45	12
18H100F	1	18	71.39	72.77	79.0	55	31.8	45	12
19H100F	1	19	75.44	76.81	82.5	60	31.8	45	14
20H100F	1	20	79.48	80.85	86.0	62	31.8	45	14
21H100F	1	21	83.52	84.89	91.0	65	31.8	45	14
22H100F	1	22	87.56	88.93	94.0	68	31.8	45	14
23H100F	1	23	91.61	92.98	97.0	72	31.8	45	14
24H100F	1	24	95.65	97.03	102.0	72	31.8	45	14
25H100F	1	25	99.69	101.06	106.0	72	31.8	45	14
26H100F	1	26	103.73	105.11	112.0	80	31.8	45	14
27H100F	1	27	107.78	109.15	115.0	80	31.8	45	14
28H100F	1	28	111.82	113.18	120.0	80	31.8	45	14
29H100F	1	29	115.86	117.23	120.0	80	31.8	45	14
30H100F	1	30	119.90	121.29	128.0	80	31.8	45	14
32H100F	1	32	127.99	129.30	135.0	80	31.8	45	14
33H100F	1	33	132.03	133.40	142.0	80	31.8	45	14
34H100F	1	34	136.07	137.45	150.0	80	31.8	45	14
35H100F	1	35	140.12	141.49	150.0	80	31.8	45	14
36H100F	1	36	144.16	145.54	150.0	80	31.8	45	14
38H100F	1	38	152.24	153.62	158.0	80	31.8	45	14
40H100F	1	40	160.33	161.70	168.0	80	31.8	45	14
42H100F	1	42	168.41	169.79	184.0	80	31.8	45	14
44H100F	5	44	176.50	177.88	184.0	80	31.8	50	14
45H100F	5	45	180.54	181.91	192.0	80	31.8	50	14
48H100F	5	48	192.67	194.03	200.0	90	31.8	50	14
50H100	4	50	200.75	202.13		90	31.8	50	20
52H100	4	52	208.84	210.21		90	31.8	50	20
57H100	4	57	229.05	230.42		90	31.8	50	20
58H100	4	58	233.09	234.47		90	31.8	50	20
60H100	4	60	241.18	242.55		120	31.8	50	20
68H100	4	68	273.53	274.90		120	31.8	55	20
70H100	4	70	281.61	282.98		120	31.8	55	20
72H100	4	72	289.69	291.06		120	31.8	55	20
84H100	4	84	338.20	339.57		120	31.8	55	20
96H100	4	96	386.71	388.09		120	31.8	60	20
120H100	4	120	483.73	485.12		120	31.8	60	20
150H100	4	150	605.01	606.38		120	31.8	60	20




1 材料:C45



4 材料:G22




5 材料:G22




H 150 PITCH 1/2"(12.70mm)


規 格	型 號	齒 數	外 徑	節 徑	護板直徑	輪轂直徑	齒 寬	總 寬	內 孔
SPCFCTN	TYPE	Z	De	Dp	Df	Dm	F	L	d
14H150F	1	14	55.22	56.59	64.0	42	46.0	58	20
15H150F	1	15	59.27	60.64	70.0	45	46.0	58	20
16H160F	1	16	63.31	64.67	70.0	45	46.0	58	20
17H150F	1	17	67.35	68.72	75.0	45	46.0	58	20
18H150F	1	18	71.39	72.77	79.0	55	46.0	58	20
19H150F	1	19	75.44	76.81	82.5	60	46.0	58	20
20H150F	1	20	79.48	80.85	86.0	62	46.0	58	20
21H150F	1	21	83.52	84.89	91.0	65	46.0	58	20
22H150F	1	22	87.56	88.93	94.0	68	46.0	58	20
23H150F	1	23	91.61	92.98	97.0	72	46.0	58	20
24H150F	1	24	95.65	97.03	102.0	72	46.0	58	20
25H150F	1	25	99.69	101.06	106.0	72	46.0	58	20
26H150F	1	26	103.73	105.11	112.0	80	46.0	58	20
27H150F	1	27	107.78	109.15	115.0	80	46.0	58	20
28H150F	1	28	111.82	113.18	120.0	80	46.0	58	20
29H150F	1	29	115.86	117.23	120.0	80	46.0	58	20
30H150F	1	30	119.90	121.29	128.0	80	46.0	58	20
32H150F	1	32	127.99	129.30	135.0	80	46.0	58	20
33H150F	1	33	132.03	133.40	142.0	80	46.0	58	20
34H150F	1	34	136.07	137.45	150.0	80	46.0	58	20
35H150F	1	35	140.12	141.49	150.0	80	46.0	58	20
36H150F	1	36	144.16	145.54	150.0	80	46.0	58	20
38H150F	1	38	152.24	153.62	158.0	80	46.0	58	20
40H150F	1	40	160.33	161.70	168.0	80	46.0	58	20
42H150F	1	42	168.41	169.79	184.0	80	46.0	58	20
45H150F	5	45	180.54	181.91	192.0	80	46.0	58	20
48H150F	5	48	192.67	194.03	200.0	90	46.0	65	20
50H150	4	50	200.75	202.13		90	46.0	65	20
52H150	4	52	208.84	210.21		90	46.0	65	20
57H150	4	57	229.05	230.43		90	46.0	65	20
58H150	4	58	233.09	234.47		90	46.0	65	20
60H150	4	60	241.18	242.55		120	46.0	65	20
68H150	4	68	273.53	274.91		120	46.0	65	25
70H150	4	70	281.61	282.98		120	46.0	65	25
72H150	4	72	289.69	291.06		120	46.0	65	25
84H150	4	84	338.20	339.57		120	46.0	65	25
96H150	4	96	386.71	388.09		120	46.0	65	25
120H150	4	120	483.71	485.12		120	46.0	65	25
150H150	4	150	605.01	606.38		120	46.0	65	25




1 材料:C45



4 材料:G22




5 材料:G22




H 200 PITCH 1/2"(12.70mm)


規 格	型 號	齒 數	外 徑	節 徑	護板直徑	輪轂直徑	齒 寬	總 寬	內 孔
SPCFCTN	TYPE	Z	De	Dp	Df	Dm	F	L	d
14H200F	1	14	55.22	56.59	64.0	42	58.7	70	20
15H200F	1	15	59.27	60.64	70	45	58.7	70	20
16H200F	1	16	63.31	64.67	70	45	58.7	70	20
17H200F	1	17	67.35	68.72	75.0	45	58.7	70	20
18H200F	1	18	71.39	72.77	79.0	55	58.7	70	20
19H200F	1	19	75.44	76.81	82.5	60	58.7	70	20
20H200F	1	20	79.48	80.85	86.0	62	58.7	70	20
21H200F	1	21	83.52	84.89	91.0	65	58.7	70	20
22H200F	1	22	87.56	88.93	94.0	68	58.7	70	20
23H200F	1	23	91.61	92.98	97.0	72	58.7	70	20
24H200F	1	24	95.65	97.03	102.0	72	58.7	70	20
25H200F	1	25	99.69	101.06	106.0	72	58.7	70	20
26H200F	1	26	103.73	105.11	112.0	80	58.7	70	20
27H200F	1	27	107.78	109.15	115.0	80	58.7	70	20
28H200F	1	28	111.82	113.18	120.0	80	58.7	70	20
29H200F	1	29	115.86	117.23	120.0	80	58.7	70	20
30H200F	1	30	119.90	121.29	128.0	80	58.7	70	20
32H200F	1	32	127.99	129.30	135.0	80	58.7	70	20
33H200F	1	33	132.03	133.40	142.0	80	58.7	70	20
34H200F	1	34	136.07	137.45	150.0	80	58.7	70	20
35H200F	1	35	140.12	141.49	150.0	80	58.7	70	20
36H200F	1	36	144.16	145.54	150.0	80	58.7	70	20
38H200F	1	38	152.24	153.62	158.0	80	58.7	70	20
40H200F	1	40	160.33	161.70	168.0	80	58.7	70	20
42H200F	1	42	168.41	169.79	184.0	80	58.7	70	20
44H200F	5	44	176.50	177.88	184.0	80	58.7	70	20
45H200F	5	45	180.54	181.91	192.0	80	58.7	70	20
48H200F	5	48	192.67	194.03	200.0	90	58.7	75	25
50H200	4	50	200.75	202.13		90	58.7	75	25
52H200	4	52	208.84	210.21		90	58.7	75	25
57H200	4	57	229.05	230.42		90	58.7	75	25
58H200	4	58	233.09	234.47		90	58.7	75	25
60H200	4	60	241.18	242.55		120	58.7	75	25
68H200	4	68	273.53	274.90		120	58.7	75	28
70H200	4	70	281.61	282.98		120	58.7	75	28
72H200	4	72	289.69	291.06		120	58.7	75	28
84H200	4	84	338.20	339.57		120	58.7	75	28
96H200	4	96	386.71	388.09		120	58.7	75	28
120H200	4	120	483.73	485.12		120	58.7	75	28
150H200	4	150	605.01	606.38		120	58.7	75	28



1 材料:C45




4 材料:G22




H 300 PITCH 1/2"(12.70mm)

規 格	型 號	齒 數	外 徑	節 徑	護板直徑	輪轂直徑	齒 寬	總 寬	內 孔
SPCFCTN	TYPE	Z	De	Dp	Df	Dm	F	L	d
14H300F	1	14	55.22	56.59	64.0	42	85.7	100	20
15H300F	1	15	59.27	60.64	70.0	45	85.7	100	20
16H300F	1	16	63.31	64.67	70.0	45	85.7	100	20
17H300F	1	17	67.35	68.72	75.0	45	85.7	100	20
18H300F	1	18	71.39	72.77	79.0	55	85.7	100	20
19H300F	1	19	75.44	76.81	82.5	60	85.7	100	20
20H300F	1	20	79.48	80.85	86.0	62	85.7	100	20
21H300F	1	21	83.52	84.89	91.0	65	85.7	100	20
22H300F	1	22	87.56	88.93	94.0	68	85.7	100	20
23H300F	1	23	91.61	92.98	97.0	72	85.7	100	20
24H300F	1	24	95.65	97.03	102.0	72	85.7	100	20
25H300F	1	25	99.69	101.06	106.0	72	85.7	100	20
26H300F	1	26	103.73	105.11	112.0	80	85.7	100	20
27H300F	1	27	107.78	109.15	115.0	80	85.7	100	20
28H300F	1	28	111.82	113.18	120.0	80	85.7	100	20
30H300F	1	30	119.90	121.29	128.0	80	85.7	100	20
32H300F	1	32	127.99	129.30	135.0	80	85.7	100	20
33H300F	1	33	132.03	133.40	142.0	80	85.7	100	20
34H300F	1	34	136.07	137.45	150.0	80	85.7	100	20
35H300F	1	35	140.12	141.49	150.0	80	85.7	100	25
36H300F	1	36	144.16	145.54	150.0	80	85.7	100	25
38H300F	1	38	152.24	153.62	158.0	80	85.7	100	25
40H300F	1	40	160.33	161.70	168.0	80	85.7	100	25
42H300F	1	42	168.41	169.79	184.0	80	85.7	100	25
44H300	4	44	176.50	177.88		90	85.7	100	25
45H300	4	45	180.54	181.91		90	85.7	100	25
48H300	4	48	192.67	194.03		90	85.7	100	25
50H300	4	50	200.75	202.13		90	85.7	100	25
52H300	4	52	208.84	210.21		90	85.7	100	25
57H300	4	57	229.09	230.47		90	85.7	100	25
58H300	4	58	233.09	234.47		90	85.7	100	25
60H300	4	60	241.18	242.55		120	85.7	100	25
70H300	4	70	281.61	282.98		120	85.7	100	30
72H300	4	72	289.69	291.06		120	85.7	100	30
84H300	4	84	338.20	339.57		120	85.7	100	30
96H300	4	96	386.71	388.09		120	85.7	100	30
120H300	4	120	483.73	485.12		120	85.7	100	30
150H300	4	150	605.01	606.38		120	85.7	100	30
156H300	4	156	629.26	630.64		120	85.7	100	30





4 材料:G22



XH


[illegible]




4 材料:G22

XH 300 PITCH 7/8" (22.22mm)


[illegible]



1 材料:C45




4 材料:G22




XH 400 PITCH 7/8" (22.22mm)


[illegible]



1 材料:C45



4 材料:G22




XXH 200 PITCH 11/4"(31.75mm)


規 格	型 號	齒 數	外 徑	節 徑	護板直徑	輪轂直徑	齒 寬	總 寬	內 孔
SPCFCTN	TYPE	Z	De	Dp	Df	Dm	F	L	d
18XXH200F	1	18	178.87	181.91	198.0	140	64.2	100	28
19XXH200F	1	19	188.97	192.02	205.0	140	64.2	100	28
20XXH200F	1	20	199.08	202.13	205.0	150	64.2	100	28
21XXH200F	1	21	209.19	212.23	212.0	150	64.2	100	28
22XXH200F	1	22	219.29	222.34	212.0	150	64.2	100	28
24XXH200	4	24	239.50	242.55		150	64.2	100	28
25XXH200	4	25	249.61	252.66		150	64.2	100	28
26XXH200	4	26	259.79	262.76		150	64.2	110	28
27XXH200	4	27	269.82	272.87		150	64.2	110	28
30XXH200	4	30	300.14	303.19		150	64.2	100	28
40XXH200	4	40	401.21	404.25		150	64.2	100	28
48XXH200	4	48	482.06	485.10		175	64.2	120	30
60XXH200	4	60	603.33	606.38		175	64.2	120	30
72XXH200	4	72	724.61	727.66		175	64.2	120	35
90XXH200	4	90	906.52	909.57		175	64.2	120	35

XXH 300 PITCH 11/4"(31.75mm)


規 格	型 號	齒 數	外 徑	節 徑	護板直徑	輪轂直徑	齒 寬	總 寬	內 孔
SPCFCTN	TYPE	Z	De	Dp	Df	Dm	F	L	d
18XXH300F	1	18	178.87	181.91	198.0	140	91.4	110	28
19XXH300F	1	19	188.97	192.02	205.0	150	91.4	110	28
20XXH300F	1	20	199.08	202.13	205.0	150	91.4	110	28
21XXH300F	1	21	209.19	212.23	212.0	150	91.4	110	28
22XXH300F	1	22	219.29	222.34	212.0	150	91.4	110	28
24XXH300	4	24	239.50	242.55		150	91.4	110	28
25XXH300	4	25	249.61	252.66		150	91.4	110	28
26XXH300	4	26	259.79	262.76		150	91.4	110	28
27XXH300	4	27	269.82	272.87		150	91.4	110	28
30XXH300	4	30	300.14	303.19		150	91.4	110	28
40XXH300	4	40	401.21	404.25		150	91.4	110	28
48XXH300	4	48	482.06	485.10		175	91.4	120	30
60XXH300	4	60	603.33	606.38		175	91.4	120	30
72XXH300	4	72	724.61	727.66		175	91.4	120	35
90XXH300	4	90	906.52	909.57		175	91.4	120	35



1 材料:C45



4 材料:G22



XXH 400 PITCH 11/4"(31.75mm)

規 格	型 號	齒 數	外 徑	節 徑	護板直徑	輪轆直徑	齒 寬	總 寬	內 孔
SPCFCTN	TYPE	Z	De	Dp	Df	Dm	F	L	d
18XXH400F	1	18	178.87	181.91	198.0	140	118	140	30
19XXH400F	1	19	188.97	192.02	205.0	150	118	140	30
20XXH400F	1	20	199.08	202.13	205.0	150	118	140	30
21XXH400F	1	21	209.19	212.23	212.0	150	118	140	30
22XXH400F	1	22	219.29	222.34	212.0	150	118	140	30
24XXH400	4	24	239.50	242.55		150	118	140	30
26XXH400	4	26	259.79	262.76		150	118	140	30
27XXH400	4	27	269.82	272.87		185	118	140	30
30XXH400	4	30	300.14	303.19		185	118	140	30
40XXH400	4	40	401.21	404.25		185	118	140	30
48XXH400	4	48	482.06	485.10		185	118	140	30
60XXH400	4	60	603.33	606.38		185	118	140	35
72XXH400	4	72	724.61	727.66		220	118	140	35
90XXH400	4	90	906.52	909.57		220	118	140	35
							118	140	35

XXH 500 PITCH 11/4"(31.75mm)

規 格	型 號	齒 數	外 徑	節 徑	護板直徑	輪轆直徑	齒 寬	總 寬	內 孔
SPCFCTN	TYPE	Z	De	Dp	Df	Dm	F	L	d
18XXH500F	1	18	178.87	181.91	198.0	140	145.3	168	30
19XXH500F	1	19	188.97	192.02	205.0	150	145.3	168	30
20XXH500F	1	20	199.08	202.13	205.0	150	145.3	168	30
21XXH500F	1	21	209.19	212.23	212.0	150	145.3	168	30
22XXH500F	1	22	219.29	222.34	212.0	150	145.3	168	30
24XXH500	4	24	239.50	242.55		150	145.3	168	30
26XXH500	4	26	259.79	262.76		150	145.3	168	30
27XXH500	4	27	269.82	272.87		215	145.3	168	30
30XXH500	4	30	300.14	303.19		215	145.3	168	30
40XXH500	4	40	401.21	404.25		215	145.3	168	30
48XXH500	4	48	482.06	485.10		215	145.3	168	35
60XXH500	4	60	603.33	606.38		240	145.3	168	35
72XXH500	4	72	724.61	727.66		240	145.3	168	35
90XXH500	4	90	906.52	909.57		240	145.3	168	35